

INDEX

| | PAGE | | PAGE |
|--|---------------|---|---------------|
| ABXY system, nuclear magnetic resonance spectroscopy | 521 | α -Amino acids, racemic, resolution | 510, 727 |
| Acetaldehyde, basicity | 177 | Ammonia solutions oxidized by silver(II) oxide | 969 |
| Acetic acid, equilibria in | 84 | Amplitudes of vibration and thermodynamic functions of chromium dioxide and trioxide .. | 908 |
| Achmad, S. A., and Cavill, G. W. K.— | | Analysis of proton magnetic resonance spectra of heteroaromatic systems | 1051 |
| Favorskii rearrangement of pulegone dibromide and pulegone epoxide | 858 | Anet, E. F. L. J.— | |
| Acid-catalysed enolization of acetaldehyde | 177 | Degradation of carbohydrates. IV. Formation of <i>cis</i> -unsaturated hexosones | 270 |
| Acid strength of opianic acid .. | 709 | Angyal, S. J., Garnett, J. L., and Hoskinson, R. M.— | |
| Acrylic acid, dibromoacetyl-, enol lactones | 165 | The stereochemistry of tritium substitution by the Wilzbach method. I. (—)-Inositol .. | 252 |
| Admittance, Faradaic, in double-layer, phase angle effect .. | 565 | Anthracene derivatives, reactions with oxygen and mercaptoacetic acid | 845 |
| Adsorption of hydrogen on silver(II) oxide | 193 | Anthranilic acid and cyclohexanone, condensation | 732 |
| Afromosin from <i>Castanospermum australe</i> | 188 | Aprotic, dipolar, solvents, S_N2 reaction rates | 585 |
| Alcorn, P. G. E.— | | Arjunolic acid from the heartwood of <i>Metrosideros umbellata</i> .. | 191 |
| <i>See</i> Wells, P. R. | 1108 | Aromatic hydrocarbons, formation | 392, 613, 623 |
| Alkaloidal constituents of <i>Crotalaria fulva</i> | 233 | Aromatic primary amines with <i>o</i> -carbonyl groups, hydrogen bonding | 459 |
| Alkaloids of <i>Boronia ternata</i> .. | 292 | Aroney, M. J., Le Fèvre, R. J. W., and Saxby, J.— | |
| Alkaloids of <i>Crotalaria crispata</i> .. | 239 | The electric dipole moment and molar Kerr constant of tetrabutoxytitanium in benzene .. | 504 |
| Alkaloids of <i>Crotalaria trifoliastrium</i> .. | 131 | Arsenic-containing molecules, poisoning effect | 549 |
| Alkaloid, major, of <i>Pultaneae altissima</i> | 239 | | |
| Alkaloids of furoquinoline, proton magnetic resonance | 451 | | |
| Alkyltin compounds, isomerism .. | 985 | | |
| Allen, J. A.— | | | |
| The adsorption of hydrogen on silver(II) oxide | 193 | | |
| Aluminium(III) complex | 278 | | |
| Aluminium(III) perchlorate .. | 1134 | | |
| Aluminium (organo-) compounds | 794, 801, 807 | | |
| Amines with <i>o</i> -carbonyl groups, hydrogen bonding | 459 | | |

| | PAGE | | PAGE |
|--|------|--|------------|
| Arsenobenzene and related compounds | 285 | Badger, G. M., Drewer, R. J., and Lewis, G. E.— | |
| Ashby, R. A., and Garnett, J. L.— | | Arsenobenzene and related compounds | 285 |
| Deuterium-exchange reactions with substituted aromatics. IV. The poisoning effect of molecules containing nitrogen, sulphur, or arsenic | 549 | Photochemical reactions of azo compounds. II. Photochemical cyclodehydrogenations of methyl- and dimethylazobenzenes .. | 1042 |
| Association in solutions of triisopropanolamine in benzene .. | 211 | Badger, G. M., Ennis, B. C., and Matthews, W. E.— | |
| Attraction, van der Waals, between colloidal particles | 774 | Studies on the Doebner–Miller, Skraup, and related reactions. II. Preparation and cyclization of 4-(2'-nitroanilino)-3-methylbutan-3-one | 828 |
| A ₂ Y ₄ molecules, electronic structures | 737 | Badger, G. M., Hinde, R. W., Matthews, W. E., and Spotswood, T. M.— | |
| Azo compounds, photochemical reactions | 1042 | The condensation of cyclohexanone and anthranilic acid .. | 732 |
| Badger, G. M., Christie, B. J., and Rodda, H. J.— | | Badger, G. M., and Nelson, P. J.— | |
| Isolation of <i>NN</i> -dimethyl 4-methoxyphenylethylamine from <i>Teclea simplicifolia</i> | 734 | Polynuclear heterocyclic systems. XV. Dihydroquinoxalino-[2,3- <i>b</i>]quinoxalines | 445 |
| Badger, G. M., Crocker, H. P., and Ennis, B. C.— | | Badger, G. M., and Novotny, J.— | |
| Studies on the Doebner–Miller, Skraup, and related reactions. IV. Intermediates and by-products in the preparation of 1,10-phenanthrolines | 840 | The formation of aromatic hydrocarbons at high temperatures. XVIII. The pyrolysis of <i>n</i> -decane XIX. The pyrolysis of [δ - ¹⁴ C] butylbenzene | 613 623 |
| Badger, G. M., Crocker, H. P., Ennis, B. C., Gayler, J. A., Matthews, W. E., Raper, W. G. C., Samuel, Eva L., and Spotswood, T. M.— | | Badger, G. M., and Whittle, C. P.— | |
| Studies on the Doebner–Miller, Skraup, and related reactions. I. Isolation of intermediates in the formation of quinolines | 814 | Reaction of naphthyl radicals with naphthalene | 440 |
| Badger, G. M., Donnelly, Jillian K., and Spotswood, T. M.— | | Bailey, C. R.— | |
| The formation of aromatic hydrocarbons at high temperatures. XVII. The pyrolysis of a petrol | 392 | See Corbett, R. E. | 191 |
| | | Barnes, C. S., and Beilby, B. D.— | |
| | | Methylsteroids. VIII. The reaction of methylmagnesium iodide with ketones derived from lanosterol | 672 |
| | | Barnes, C. S., and Occolowitz, J. L.— | |
| | | The mass spectra of phenyl methyl ethers | 219 |
| | | Basicity of acetaldehyde | 177 |

- | | PAGE | | PAGE |
|---|------|--|------|
| Bayliss, N. S., Dingle, R., Watts, D. W., and Wilkie, R. J.— The spectrophotometry of sodium nitrite solutions in aqueous sulphuric and perchloric acids and the equilibrium between nitrosonium ion and nitrous acid .. | 933 | Bell, K. H., and Duewell, H.— Linear benzochromanones and benzochromones. II. Synthesis of 6,7-cyclohexenochromanone, 6,7-benzochromanone, 6,7-cyclohexenochromone, and 6,7-benzochromone | 690 |
| Bayliss, N. S., and Watts, D. W.— The decomposition of sodium nitrite solutions in aqueous sulphuric and perchloric acids .. | 927 | Bell, T. N., Pullman, H. J., and West, B. O.— Perfluoroalkylbismuth compounds. I. Mixed alkyl perfluoroalkyl derivatives | 636 |
| The spectrophotometry of nitrate solutions to aqueous sulphuric acid | 943 | The reactions of perfluoroalkyl radicals with metals | 722 |
| Bayogenin and castanogenin from <i>Castanospermum australe</i> .. | 900 | Benziminazole <i>N</i> -oxide, rearrangements | 729 |
| Bayston, J. H., Beale, R. N., Kelso King, N., and Winfield, M. E.— Reaction of pentacyanocobaltate(II) ion with molecular oxygen .. | 954 | Benzochromanones and benzochromones, linear | 690 |
| Bayston, J. H., Looney, F. D., and Winfield, M. E.— Paramagnetic products of the oxidation of cyanocobaltate(II) .. | 557 | Benzophenones from <i>Leptospermum luehmannii</i> | 282 |
| Beale, R. N.— <i>See</i> Bayston, J. H., Kelso King, N., and Winfield, M. E. .. | 954 | Beryllium salicylate complexes .. | 376 |
| Beckwith, A. L. J., and Low Beng See— Thiyl radicals. II. Reactions of <i>meso</i> -substituted and anthracene derivatives with oxygen and mercaptoacetic acid .. | 845 | Bick, I. R. C.— <i>See</i> Hellyer, R. O., Nicholls, R. G., and Rottendorf, H. .. | 703 |
| Beecham, A. F.— The synthesis of some peptides of L-leucine and glycine | 160 | 2,2'-Bipyridinebis-(1,10-phenanthroline)nickel(II) ion, racemization | 51 |
| Tosyl α -amino acids. III. The acid-catalysed degradation of tosyl α -amino acids and derivatives | 889 | 2,2'-Bipyridyl from pyridine under degassed raney nickel | 14 |
| Beilby, B. D.— <i>See</i> Barnes, C. S. | 672 | 2,2'-Bipyridyl reaction with methylene sulphate | 289 |
| Bell, K. H., and Duewell, H.— Synthesis of some linear diazochromanones | 101 | 2,2'-Bipyridine, mono- and bis-, chelates of ruthenium and osmium | 544 |
| | | Bismuth, perfluoroalkyl-, compounds | 636 |
| | | Black, P. J., and Heffernan, M. L.— The analysis of the proton magnetic resonance spectra of heteroaromatic systems. I. Indazole .. | 1051 |
| | | Bolto, B. A., McNeill, R., and Weiss, D. E.— Electronic conduction in polymers. III. Electronic properties of polypyrrole | 1090 |

| | PAGE | | PAGE |
|--|------|---|------|
| Bolto, B. A., and Weiss, D. E.— | | de Bruin, H. J., Fardy, J. J., and Temple, R. B.— | |
| Electronic conduction in polymers. II. The electrochemical reduction of polypyrrole at controlled potential | 1076 | The ion-exchange behaviour of beryllium salicylate complexes | 376 |
| <i>Boronia ternata</i> Endl. alkaloids .. | 292 | Bryson, A., and Matthews, R. W.— | |
| Bosson, Judith A., Galbraith, M. N., Ritchie, E., and Taylor, W. C.— | | The effects of substituents on the pK_a values of "meta"-substituted 1- and 2-naphthols | 401 |
| The chemical constituents of Australian <i>Flindersia</i> species. XVIII. The structure of ifflaionic acid | 491 | Buckingham, D. A., Dwyer, F. P., and Sargeson, A. M.— | |
| Bosson, Judith A., Rasmussen, M., Ritchie, E., Robertson, A. V., and Taylor, W. C.— | | Disproportionation in synthetic reactions with cobalt(III) complexes | 921 |
| The chemical constituents of Australian <i>Flindersia</i> species. XVII. The structure of ifflamine | 480 | [δ - ^{14}C]Butylbenzene, pyrolysis .. | 623 |
| Bottomley, G. A.— | | Calder, I. C., Sasse, W. H. F., and Spotswood, T. McL.— | |
| Discophorodin. A new coumarin from <i>Velleia discophora</i> F. Muell. | 143 | The formation of the 6,8-dihydrodipyrido[1,2-c:2',1'-e][1,3,6]-oxadiazepidin-ium cation in the reaction of 2,2'-bipyridyl with methylene sulphate | 289 |
| Bottomley, G. A., and Spurling, T. H.— | | Calf, G. E., and Samuel, Eva L.— | |
| Virial coefficients for unlike interactions | 1 | Studies on the Doebner-Miller, Skraup, and related reactions. III. Preparation of some substituted 1,10-phenanthrolines .. | 833 |
| Bowling, K. McG.— | | Campbell, A. D., and Grimmett, M. R.— | |
| Kinetics of decomposition of titanium tetraiodide | 66 | Addition of propiolic acid to aryl-substituted propiolic acids .. | 854 |
| 4 α -Bromo-5 β -cholestane-3 β ,5-diol 3-acetate synthesis | 658 | Campbell, I. D., and Looney, F. D.— | |
| β -Bromopicrotoxinin | 136 | The decay of irradiation defects in dyed polymethyl methacrylate | 1141 |
| Broomhead, J. A.— | | <i>Canastospermum australe</i> , afromosin (castanin) from | 188 |
| Solvent effects on the racemization of the tris-(1,10-phenanthroline)nickel(II) ion | 186 | <i>Canastospermum australe</i> , castanogenin and bayogenin | 900 |
| Broomhead, J. A., and Dwyer, F. P.— | | Carbohydrates, degradation .. | 270 |
| The mechanisms of racemization of the 2,2'-bipyridinebis-(1,10-phenanthroline)nickel(II) ion and the 1,10-phenanthroline bis-(2,2'-pyridine)nickel(II) ion | 51 | Carle, Ann— | |
| Brown, R. D., and Harcourt, R. D.— | | See Hillis, W. E. | 147 |
| The electronic structures of A_2Y_4 molecules | 737 | Carman, R. M.— | |
| | | β -Bromopicrotoxinin | 136 |

| | PAGE | | PAGE |
|---|----------|--|------|
| The selenium dehydrogenation reaction with diterpenes .. | 225 | 2-Chloroalkylphosphonic acids, phosphorylating agent .. | 596 |
| The proton magnetic resonance spectrum of rimuene .. | 1104 | Christie, B. J.— | |
| Castanin (6,4'-dimethoxy-7-hydroxyisoflavone) from <i>Canastospermum australe</i> .. | 188 | See Badger, G. M., and Rodda, H. J. .. | 734 |
| Catalysts, activated metal, synthetic applications 14, 20, 31, .. | 1126 | Chromium dioxide and trioxide, vibration and thermodynamic functions .. | 908 |
| Cation, formation of the 6,8-dihydrodipyrido[1,2-c:2',1'-e]-[1,3,6]oxadiazepidi-nium .. | 289 | Clark-Lewis, J. W., Spotswood, T. McL., and Williams, L. R.— | |
| Cations, <i>N</i> -heteroaromatic .. | 174 | Flavan derivatives. VII. The stereochemical course of the synthesis of 2,3- <i>cis</i> -flavan-3,4- <i>trans</i> -diol diacetates and the 2,4- <i>cis</i> -stereochemistry of flavan-4 β -ols .. | 107 |
| Cations of group VB elements, infrared spectra .. | 360, 499 | Clark-Lewis, J. W., and Williams, L. R.— | |
| Cations of group 2B, reactions with aminomethylpyridine .. | 1137 | Flavan derivatives. VIII. The configurations of some flavan-3,4-diols determined by oxidation with lead tetra-acetate .. | 869 |
| Cavill, G. W. K.— | | Cobalt and nickel ions, hydrolysis .. | 1119 |
| See Achmad, S. A. .. | 858 | Cobalt(III), <i>cis</i> -chloroaquobis(ethylenediamine)-, ion, rate of racemization .. | 352 |
| Chambers, J. F.— | | Cobalt(III) complexes, rotatory dispersion .. | 334 |
| The effect of α -radiation on protein monolayers .. | 180 | Cobalt(III) complexes, synthetic reactions .. | 921 |
| Chandler, G. S., and Sasse, W. H. F.— | | Collins, D. J.— | |
| Synthetic applications of activated metal catalysts. XVII. The hydrogenolysis of aromatic ethers by Raney nickel .. | 20 | Synthesis and rearrangement reactions of 4 α -bromo-5 β -cholestan-3 β ,5-diol 3-acetate .. | 658 |
| Cheetham, N. F., Forbes, W. F., Kew, D. J., and Nelson, P. F.— | | Collins, D. J., and Hobbs, J. J.— | |
| Rearrangements of benzimidazole <i>N</i> -oxide: the structure of diacylbenzimidazolones .. | 729 | Steroidal $\alpha\beta$ -epoxyketones. II. Synthesis of 6 α -bromo-4 α ,5-epoxy-5 α -cholestan-3-one and its 4 β ,5 β -isomer .. | 874 |
| Chelate structures of copper(II) and ovalbumin .. | 989 | Collins, D. J., Hobbs, J. J., and Sternhell, S.— | |
| Chelates of ruthenium and osmium .. | 42 | The stereochemistry of rings A and B in 6-substituted Δ^4 -3-oxosteroids: a study of H ¹ allylic spin-spin coupling in systems with defined geometry .. | 1030 |
| Chemical constituents of Australian <i>Flindersia</i> species .. | 480, 491 | | |
| Chemistry of eucalypt kinos .. | 147 | | |
| Chemistry of Western Australian rutaceae .. | 123, 292 | | |
| Chen, C. Y., and Le Fèvre, R. J. W.— | | | |
| The conformation of 1,4-cyclohexanedione and the two isomeric 1,4-dithiane-1,4-dioxides .. | 917 | | |

| | PAGE | | PAGE |
|---|------------------|--|------|
| Colloidal particles, van der Waals attraction between | 774 | Corbett, R. E., and Bailey, C. R.— Extractives from the New Zealand Myrtaceae. VI. Arjunolic acid from the heartwood of <i>Metrosideros umbellata</i> | 191 |
| Colouring matters of Australian plants | 695 | Corbett, R. E., and Young, H.— The volatile oil of <i>Pseudowintera colorata</i> . IV. Epicyclolorenone | 250 |
| Complexes, cobalt(III) | 921 | Coriolis constants for XY_2 molecules | 717 |
| Complexes, copper(II), of 2-pyridinaldoxime | 356 | Coumarin, new discolorodin .. | 143 |
| Complexes, inorganic, studies | 371, 1134 | Crispatine and fulvine, structures of | 239 |
| Complexes of copper and 2,9-dimethyl-1,10-phenanthroline .. | 34 | Crocker, H. P.— See Badger, G. M. <i>et al.</i> .. | 814 |
| Complexes, quadridentate, metal ions exchange | 779, 788 | See Badger, G. M., and Ennis, B. C. | 840 |
| Complexes, three-coordinated copper(II) | 7 | <i>Crotalaria crispata</i> alkaloids .. | 239 |
| Complexes, rotatory dispersion of cobalt(III) | 334 | <i>Crotalaria fulva</i> , alkaloidal constituents | 233 |
| Condensation of cyclohexanone and anthranilic acid | 732 | <i>Crotalaria trifoliastrium</i> alkaloids .. | 131 |
| Conductances of Group V quaternary 'onium complexes | 579 | Culvenor, C. C. J., Morrison, J. D., Nicholson, A. J. C., and Smith, L. W.— Alkaloids of <i>Crotalaria trifoliastrium</i> Willd. II. 1-methoxymethyl-1,2-epoxypyrrrolizidine .. | 131 |
| Conduction of polymers, electronic | 1056, 1076, 1090 | Culvenor, C. C. J., and Smith, L. W.— Alkaloids of <i>Crotalaria crispata</i> F. Muell ex Benth., the structures of crispatine and fulvine .. | 239 |
| Conformation of 1,4-cyclohexanedione | 917 | Cummins, R. A.— Isomerism in alkyltin compounds | 985 |
| Constant, potential | 717 | 1,4-Cyclohexanedione conformation | 917 |
| Constants, Coriolis coupling .. | 717 | Cyanocobaltate(II) oxidation, paramagnetic products | 557 |
| Constants of molybdenum and rhenium hexafluorides | 906 | Deacon, G. B., and Jones, R. A.— The infrared spectra of quaternary 'onium cations of Group VB elements. III. The "X-sensitive" vibration near 1100 cm^{-1} .. | 499 |
| Cooke, R. G., and Johnson, B. L.— Colouring matters of Australian plants. XI. Quinones from <i>Ventilago viminalis</i> | 695 | | |
| Coordination compounds of substituted 1,10-phenanthrolines and related dipyritydyls | 34 | | |
| Copper complexes of 2,9-dimethyl-1,10-phenanthroline | 34 | | |
| Copper(II) complexes and the infrared C=O stretching vibration .. | 7 | | |
| Copper(II) complexes of 2-pyridinaldoxime | 356 | | |
| Copper ions exchange with nickel complexes | 788 | | |

| | PAGE | | PAGE |
|--|------|---|-----------|
| Deacon, G. B., Jones, R. A., and Rogasch, P. E.— | | Downing, D. T.— | |
| The infrared spectra of quaternary 'onium cations of Group VB elements. II. Vibrational assignments for some tetraphenyl-, triphenylmethyl-, triphenylethyl-, tetraethylphosphonium salts .. | 360 | The fatty acid composition of vernix caseosa | 679 |
| Deacon, G. B., and West, B. O.— | | Drewer, R. J.— | |
| Conductances of some Group V quaternary 'onium iodomercuate(II) complexes | 579 | See Badger, G. M., and Lewis, G. E. | 285, 1042 |
| The solvent properties of trifluoriodomethane | 1132 | Duewell, H.— | |
| n-Decane pyrolysis | 613 | See Bell, K. H. | 101, 690 |
| Decomposition of nitrobenzylphosphonic acid in alkali | 725 | Duffield, A. M., and Jefferies, P. R.— | |
| Deuterium-exchange reactions with substituted aromatics | 549 | The chemistry of the Western Australian Rutaceae. | |
| Diacylbenziminazolones, structure | 729 | II. The structure of eriostemoic acid | 123 |
| Dihydroquinoxalino[2,3-b]-quinoxalines | 445 | III. The alkaloids of <i>Boronia ternata</i> Endl. | 292 |
| Dialkyl sulphides, photolysis .. | 1020 | Dwyer, F. P., Goodwin, H. A., and Gyarfas, E. C.— | |
| Diazochromanones synthesis .. | 101 | Mono- and bis-(2,2'-bipyridine) and (1,10-phenanthroline) chelates of ruthenium and osmium. | |
| <i>Digitalis lunata</i> constituents .. | 896 | I. Monochelates of bivalent, trivalent, and quadrivalent ruthenium | 42 |
| <i>N</i> (₀)- <i>N</i> (₀)-Dimethyl-L-tryptophan methyl ester from <i>Pultenaea altissima</i> | 246 | II. Bischelates of bivalent, and trivalent ruthenium | 544 |
| <i>NN</i> -Dimethyl 4-methoxyphenylethylamine isolation | 734 | Dwyer, F. P., Halpern, B., and Turnbull, K. B.— | |
| Dingle, R.— | | Resolution of racemic α -amino acids. | |
| See Bayliss, N. S., Watts, D. W., and Wilkie, R. J. | 933 | I. Neutral α -amino acids | 510 |
| Dipole moment of tri-isopropanolamine borate in benzene .. | 204 | II. Acidic α -amino acids | 727 |
| Dipyridyls and 1,10-phenanthroline coordination compounds .. | 34 | Dwyer, F. P.— | |
| Diaterpenes, selenium dehydrogenation reaction | 225 | See Buckingham, D. A., and Sargeson, A. M. | 921 |
| Discophorodin, new coumarin .. | 143 | Eade, R. A., Hinterberger, Hertha, and Simes, J. J. H.— | |
| Doebner-Miller, Skraup, and related reactions .. 814, 828, 833, 840 | | Extractives of Australian timbers. III. Afromosin (castanin, 6,4'-dimethoxy-7-hydroxyisoflavone) from <i>Castanospermum australe</i> Cunn. et Fras. | 188 |
| Donnelly, Jillian K.— | | | |
| See Badger, G. M., and Spotswood, T. M. | 392 | | |

| | PAGE | | PAGE |
|---|------------------|--|----------|
| Eade, R. A., Simes, J. J. H., and Stevenson, Brenda— | | Ester, $N_{(b)}N_{(b)}$ -dimethyl-L-tryp- tophan methyl, from <i>Pultenaea</i> <i>altissima</i> | 246 |
| Extractives of Australian tim- bers. IV. Castanogenin (medi- cagenic acid) and bayogenin, $C_{30}H_{48}O_5$, from <i>Castanospermum</i> <i>australe</i> Cunn. et Fras. | 900 | Esterification of orthoboric acid .. | 915 |
| Edman, P.— | | Ethers, hydrogenolysis by Raney nickel | 20 |
| See Ilse, D. | 411 | Ethers, phenyl methyl, mass spectra | 219 |
| Efficiencies of catalysts from Group VIII metals | 1126 | <i>Eucalyptus hemiphloia</i> kino | 147 |
| Electric dipole moment of tetra- butoxytitanium in benzene .. | 504 | <i>Eucalyptus oblonga</i> , and <i>E. mitchel-</i> <i>liana</i> oils | 515 |
| Electrochemical reduction of poly- pyrrole | 1076 | Excited states of weakly-coupled systems | 295 |
| Electrolysis, Kolbe, in acetonitrile | 432 | Extractives of Australian timbers | 188, 900 |
| Electronic conduction in polymers | 1056, 1076, 1090 | Extractives from the New Zealand Myrtaceae | 191 |
| Electronic properties of polypyr- role | 1090 | Faradaic admittance and migra- tion in diffuse double-layer .. | 565 |
| Electronic spectra of N -heteroaromatic cations | 174 | Fardy, J. J.— | |
| Electronic spectra of weakly- coupled systems | 315 | See de Bruin, H. J., and Temple, R. B. | 376 |
| Electronic structures of A_2Y_4 mole- cules | 737 | Fatty acid composition of vernix caseosa | 679 |
| Ennis, B. C.— | | Favorskii rearrangement of pule- gone dibromide and epoxide .. | 585 |
| See Badger, G. M. <i>et al.</i> | 814 | Fee, W. W., and West, B. O.— | |
| See Badger, G. M., and Crocker, H. P. | 840 | The exchange of metal ions with quadridentate complexes. | |
| See Badger, G. M., and Matthews, W. E. | 828 | I. The effects of metal salts and solvents | 779 |
| Enolization of acetaldehyde .. | 177 | II. Copper ions with several nickel complexes | 788 |
| Enol lactones of dibromoacetyl- acrylic acid | 165 | Fitzgerald, J. S.— | |
| Epicyclocoloronone | 250 | The major alkaloid of <i>Pultenaea</i> <i>altissima</i> F. Muell. ex Benth., $N_{(b)}N_{(b)}$ -dimethyl-L-tryptophan methyl ester | 246 |
| $\alpha\beta$ -Epoxyketones synthesis .. | 874 | Flavan derivatives | 107, 869 |
| Equivalence and inflexion points in acid-base titration curves .. | 759 | Flavan-3,4-diols configurations .. | 869 |
| Equilibria in acetic acid | 84 | <i>Flindersia</i> species, chemical con- stituents | 480, 481 |
| Equilibrium between nitrosonium ion and nitrous acid | 933 | Forbes, W. F.— | |
| Equilibrium constants of per- chloric acid | 84 | See Cheetham, N. F., Kew, D. J., and Nelson, P. F. | 729 |
| Eriostemoic acid, structure .. | 123 | | |

| | PAGE | | PAGE |
|--|---------|--|----------|
| Formaldehyde, basic strength .. | 592 | Green, R. W., and Svasti, M. C. K.— | |
| Formation of 6-hydroxymethylfurfural from hexoses | 258 | Copper(II) complexes of 2-pyridinaldioxime | 356 |
| Formation of cis-unsaturated hexosones | 270 | Grimmett, M. R.— | |
| Formation of the 6,8-dihydrodipyrido[1,2-c:2',1'-e][1,3,6]oxadiazepidininium cation | 289 | See Campbell, A. D. | 854 |
| Fulvine and crispatine structures | 239 | Gruen, L. C.— | |
| Fulvine and its N-oxide from <i>Crotalaria fulva</i> | 233 | See McTigue, P. T. | 177 |
| Furfuraldehyde from 4-O-methyl-D-glucuronic acid | 183 | Gyarfas, E. C.— | |
| Furoquinoline alkaloids, proton magnetic resonance | 451 | See Dwyer, F. P., and Goodwin, H. A. | 42, 544 |
| Galbraith, M. N.— | | Hall, J. R., Marchant, N. K., and Plowman, R. A.— | |
| See Bosson, Judith A., Ritchie, E., and Taylor, W. C. .. | 491 | Coordination compounds of substituted 1,10-phenanthrolines and related dipyrindyls. IV. Physicochemical study of complexes of copper and 2,9-dimethyl-1,10-phenanthroline .. | 34 |
| Galbraith, M. N., Hobbs, J. J., and Massy-Westropp, R. A.— | | Halpern, B.— | |
| Himbacine derivatives and synthetic analogues | 112 | See Dwyer, F. P., and Turnbull, K. B. | 510, 727 |
| Gallium(III) complex | 278 | Hambly, A. N., and O'Grady, B. V.— | |
| Garnett, J. L.— | | Hydrogen bonding in organic compounds. VIII. Aromatic primary amines with <i>ortho</i> -carbonyl groups | 459 |
| See Angyal, S. J., and Hoskinson, R. M. | 252 | Harcourt, R. D.— | |
| See Ashby, R. A. | 549 | See Brown, R. D. | 737 |
| Gaseous reaction, rate constant determination | 527 | Heffernan, M. L.— | |
| Gayler, J. A.— | | See Black, P. J. | 1051 |
| See Badger, G. M. <i>et al.</i> .. | 814 | Hellyer, R. O., Bick, I. R. C., Nicholls, R. G., and Rottendorf, H.— | |
| Glucuronic acid, 4-O-methyl-D-furfuraldehyde from | 183 | The structure of tasmanone .. | 703 |
| Goodwin, H. A.— | | Hellyer, R. O., and McKern, H. H. G.— | |
| See Dwyer, F. P., and Gyarfas, E. C. | 42, 544 | The volatile oils of the genus <i>Eucalyptus</i> (family Myrtaceae). II. The leaf oils of <i>E. oblonga</i> DC. (syn. <i>E. sparsifolia</i> Blakely) and <i>E. mitchelliana</i> Cambage .. | 515 |
| Graddon, D. P., and Weeden, D. G.— | | | |
| Studies in the stereochemistry of zinc(II). I. Derivatives of bis-(acetylacetonato)zinc(II) .. | 980 | | |

| | PAGE | | PAGE |
|---|------|--|---------------|
| Heteroaromatic systems, proton magnetic resonance spectra .. | 1051 | Hydrocarbons, aromatic, formation | 392, 613, 623 |
| Hexadecanol, solid, spreading .. | 76 | Hydrogen adsorption on silver(II) oxide | 193 |
| Hexafluoride of molybdenum and rhenium, constants | 906 | Hydrogen in the formation of 2,2'-bipyridyl | 14 |
| Hexanone, cyclo-, condensation .. | 732 | Hydrogen bonding in organic compounds | 459 |
| Hexoses, 5-hydroxymethylfurfural- .. | 258 | Hydrogenolysis of aryl <i>p</i> -toluenesulphonates | 647 |
| Hexosones, formation of <i>cis</i> -unsaturated | 270 | Hydrolysis of cobalt and nickel ions | 1119 |
| Hillis, W. E., and Carle, Ann— The chemistry of eucalypt kinos. IV. <i>Eucalyptus hemiphloia</i> kino .. | 147 | | |
| Himbacine derivatives | 112 | | |
| Hinde, R. W.— See Badger, G. M., Matthews, W. E., and Spotswood, T. M. .. | 732 | Ilse, D., and Edman, P.— The formation of 3-phenyl-2-thiohydantoins from phenylthiocarbamyl amino acids | 411 |
| Hinterberger, Hertha— See Eade, R. A., and Simes, J. J. H. | 188 | Indazole | 1051 |
| Hobbs, J. J.— See Collins, D. J. | 874 | Indium(III) complex | 278 |
| See Collins, D. J., and Sternhell, S. | 1030 | Inflexion and equivalence points in acid-base titration curves .. | 759 |
| See Galbraith, M. N., and Massy-Westropp, R. A. | 112 | Ifflaamine structure | 480 |
| Horn, D. H. S., and Lambertson, J. A.— The nematocidal principles of <i>Tagetes</i> roots | 475 | Ifflaionic acid, mass spectrometry | 683 |
| Hoskinson, R. M.— See Angyal, S. J., and Garnett, J. L. | 252 | Ifflaionic acid structure | 491 |
| Hunter, R. J.— Van der Waals attraction between colloidal particles: the retardation correction for flat plates of arbitrary thickness | 774 | Infrared C=O stretching vibration .. | 7 |
| Huppertz, J. L., and Sasse, W. H. F.— Pschorr reactions with sulphonamides derived from <i>N</i> -benzyl- <i>o</i> -phenyldiamine. A new route to phenanthridine, and a new type of molecular rearrangement .. | 417 | Infrared spectra of 2-monosubstituted pyrroles | 93 |
| | | Infrared spectra phosphonium salts .. | 360 |
| | | Infrared spectra of quaternary 'onium cations of Group VB elements | 499 |
| | | (—)-Inositol | 252 |
| | | Iodomercurate(II) complexes, conductances | 579 |
| | | Ion-exchange behaviour of beryllium salicylate complexes | 376 |
| | | Ions, cobalt and nickel | 1119 |
| | | Ions, solvation | 585 |
| | | Ions, transition metal, reactions with 2-thioamidopyridine | 371 |
| | | Irradiation defects of dyed polymethyl methacrylate | 1141 |
| | | Isolation of <i>NN</i> -dimethyl 4-methoxyphenylethylamine .. | 734 |

| | PAGE | | PAGE |
|--|----------|---|-----------|
| Isomerism in alkyltin compounds | 985 | Kitching, W.— | |
| Isomerization of <i>cis</i> -chloro- | | See Wells, P. R. | 508, 1123 |
| aquobis(ethylenediamine)cobalt- | | Kolbe electrolysis in acetonitrile . . | 432 |
| (III) ion | 352 | Korsch, B. H., and Riggs, N. V.— | |
| Jackson, G. D. F., Sasse, W. H. F., | | Structure and acid strength of | |
| and Whittle, C. P.— | | opianic acid and its <i>N</i> -methyl | |
| Synthetical applications of acti- | | oxime | 709 |
| vated metal catalysts. XIX. A | | Krzeminski, Z. S.— | |
| comparison of the efficiencies of | | See Moye, C. J. | 258 |
| catalysts derived from the metals | | Kubo, M., Kuroda, Y., Kishita, M., | |
| of Group VIII and from copper | | and Muto, Y.— | |
| in the formation of biaryls from | | The structure of three-coordi- | |
| pyridine and quinoline | 1126 | nated copper(II) complexes and | |
| Jefferies, P. R.— | | the infrared C=O stretching | |
| See Duffield, A. M. | 123, 292 | vibration | 7 |
| Jennings, A. C.— | | Kuroda, Y.— | |
| The nature of the chelate struc- | | See Kubo, M., Kishita, M., and | |
| tures formed by copper(II) and | | Muto, Y. | 7 |
| ovalbumin in biuret reaction . . | 989 | Lack, Ruth, Newman, B. C., and | |
| The alkaline titration of ovalbu- | | Shoppee, C. W.— | |
| min in the presence of copper(II) | 1006 | The chemical constituents of the | |
| Jones, R. A.— | | leaves of <i>Digitalis lunata</i> | 896 |
| Pyrrole studies. I. The infrared | | Lactones, enol, of dibromoacetyl- | |
| spectra of 2-monosubstituted | | acrylic acid | 165 |
| pyrroles | 93 | Lamberton, J. A.— | |
| Jones, R. A.— | | See Horn, D. H. S. | 475 |
| See Deacon, G. B. | 499 | Lanosterol ketones, reaction with | |
| See Deacon, G. B., and Rogasch, | | methylmagnesium iodide | 672 |
| P. E. | 360 | Le Fèvre, R. J. W.— | |
| Johnson, B. L.— | | See Aroney, M. J., and Saxby, J. | 504 |
| See Cooke, R. G. | 695 | See Chen, C.-Y. | 917 |
| Kelso King, N.— | | <i>Leptospermum luehmannii</i> (F. M. | |
| See Bayston, J. H., Beale, R. N., | | Bailey), substituted benzophe- | |
| and Winfield, M. E. | 954 | nones from | 282 |
| Kerr constants, molar, of tetra- | | Lewis, G. E.— | |
| butoxytitanium in benzene . . | 504 | See Badger, G. M., and Drewer, | |
| Kew, D. J.— | | R. J. | 285, 1042 |
| See Cheetham, N. F., Forbes, | | Looney, F. D.— | |
| W. F., and Nelson, P. F. . . . | 729 | See Bayston, J. H., and Winfield, | |
| Kino, <i>Eucalyptus hemiphloia</i> . . | 147 | M. W. | 557 |
| Kishita, M.— | | See Campbell, I. D. | 1141 |
| See Kubo, M., Kuroda, Y., and | | Low Beng See (Miss)— | |
| Muto, Y. | 7 | See Beckwith, A. L. J. | 845 |

| | PAGE | | PAGE |
|---|------|--|------------------|
| MacDermott, T. L., and Sargeson, A. M.— | | Matthews, W. E.— | |
| Rotatory dispersion and configuration of cobalt(III) complexes | 334 | See Badger, G. M., Crocker, H. P., Ennis, B. C., and Gayler, J. A. | 814 |
| McKern, H. H. G.— | | See Badger, G. M., and Ennis, B. C. | 828 |
| See Hellyer, R. O. | 515 | See Badger, G. M., Hinde, R. W., and Spotswood, T. M. | 732 |
| McNeill, R., Siudak, R. V., Wardlaw, J. H., and Weiss, D. E.— | | See Bryson, A. | 401 |
| Electronic conduction in polymers. I. The chemical structure of polypyrrole | 1056 | Maynard, Judith A., and Swan, J. M.— | |
| McNeill, R.— | | Organophosphorus compounds. | |
| See Bolto, B. A., and Weiss, D. E. | 1000 | I. 2-Chloroalkylphosphonic acids as phosphorylating agents | 596 |
| McRae, E. G.— | | II. Preparation of phosphonic acid esters using the dicyclohexylcarbodi-imide reagent | 609 |
| Molecular vibrations in the excitation theory for molecular aggregates. | | Meisters, A., and Swan, J. M.— | |
| IV. Excited states of weakly-coupled systems | 295 | The decomposition of <i>p</i> -nitrobenzylphosphonic acid in alkali | 725 |
| V. Electronic spectra of weakly-coupled systems | 315 | Mercaptoacetic acid and oxygen reaction with <i>meso</i> -substituted anthracene derivatives | 845 |
| McTigue, P. T., and Gruen, L. C.— | | Mercuric oxide and potassium chloroacetate reaction | 1123 |
| The acid-catalysed enolization of acetaldehyde: the basicity of acetaldehyde | 177 | Mercuric salts and acetic acid reaction | 508 |
| McTigue, P. T., and Sime, J. M.— | | Metal catalysts, synthetical applications of activated | 14, 20, 31, 1126 |
| The basic strength of formaldehyde | 592 | Metal ion reactions with 2-methyl-6-aminopyridine and 2-thioamidopyridine | 371 |
| Mansfield, W. W.— | | Metal ions, exchange with quadridentate complexes | 779, 788 |
| Spreading from solid hexadecanol | 76 | 1-Methoxymethyl-1,2-epoxypyrrolizidine from <i>Crotalaria trifoliastrum</i> | 131 |
| Marchant, N. K.— | | 2-Methyl-6-aminopyridine | 371 |
| See Hall, J. R., and Plowman, R. A. | 34 | <i>N</i> -Methylation, effect on electronic spectra of <i>N</i> -heteroaromatic cations | 174 |
| Martin, R. J. L.— | | 4- <i>O</i> -Methyl-D-glucuronic acid, furaldehyde from | 183 |
| Equilibria in acetic acid: triple ion equilibrium constants of sodium perchlorate and perloric acid at 105.7° | 84 | Methylmagnesium iodide reactions with lanosterol ketones | 672 |
| Mass spectrometry studies | 683 | Methylsteroids | 672 |
| Massy-Westropp, R. A.— | | | |
| See Galbraith, M. N., and Hobbs, J. J. | 112 | | |

| | PAGE | | PAGE |
|---|----------|--|--------|
| <i>Metrosideros umbellata</i> , arjunolic acid | 191 | Muto, Y.— | |
| Migration in diffuse double-layer, phase angle effect | 565 | See Kubo, M., Kuroda, Y., and Kishita, M. | 7 |
| Milligan, B., Rivett, D. E., and Savige, W. E.— | | Myrtaceae, New Zealand, extrac- | |
| The photolysis of dialkyl sulphides, disulphides, and trisulphides | 1020 | tives | 191 |
| Molar Kerr constants of tetrabutoxytitanium in benzene .. | 504 | | |
| Mole, T.— | | Nagarajan, G.— | |
| Organo-aluminium compounds. | | Potential constants and Coriolis coupling constants for some non-linear symmetrical XY ₂ type molecules | 717 |
| I. Preparation and properties of some phenylaluminium compounds | 794 | Potential constants for the hexafluorides of molybdenum and rhenium | 906 |
| II. Nucleophilic displacement of base from triphenylaluminium compounds | 801 | Mean amplitudes of vibration and thermodynamic functions of chromium dioxide and chromium trioxide | 908 |
| III. Reaction of triphenylaluminium with carbonyl compounds .. | 807 | Naphthyl radicals and naphthalene reaction | 440 |
| Molecular aggregates, molecular vibrations in the exciton theory for | 295 | 1- and 2-Naphthols, effects of substituents | 401 |
| Molecular rearrangement, a new type | 417 | Narayanan, K., and Rangarajan, S. K.— | |
| Molecular vibrations in the exciton theory for molecular aggregates | 295, 315 | Faradaic admittance of migration in the diffuse double-layer: effect on the phase angle .. | 565 |
| Molecules, electronic structures of A ₂ Y ₄ | 727 | Nelson, P. F.— | |
| Molybdenum and rhenium hexafluorides, potential constants .. | 906 | See Cheetham, N. F., Forbes, W. F., and Kew, D. J. .. | 729 |
| Morrison, J. D.— | | Nelson, P. J.— | |
| See Culvenor, C. C. J., Nicholson, A. J. C., and Smith, L. W. .. | 131 | See Badger, G. M. | 445 |
| Moye, C. J., and Krzeminski, Z. S.— | | Nematocidal principles of <i>Tagetes</i> roots | 475 |
| The formation of 5-hydroxymethylfurfural from hexoses .. | 258 | Newman, B. C.— | |
| Mulcahy, M. F. R., and Pethard, Mary R.— | | See Lack, Ruth, and Shoppee, B. C. | 896 |
| Errors in determining the rate constant of a first-order gaseous reaction by the flow method .. | 527 | Nicholls, R. G.— | |
| | | See Hellyer, R. O., Bick, I. R. C., and Rottendorf, H. | 703 |
| | | Nicholson, A. J. C.— | |
| | | See Culvenor, C. C. J., Morrison, J. D., and Smith, L. W. .. | 131 |
| | | Nickel, degassed Raney .. | 14, 31 |

| | PAGE | | PAGE |
|---|---------------|--|------|
| Nickel(II), tris-(1,10-phenanthroline), ion | 186 | N-Oxide, benzimidazole, rearrangements | 729 |
| Nickel complexes, copper ions exchange with | 788 | N-Oxide of fulvine from <i>Crotalaria fulva</i> | 233 |
| 4-(2'-Nitroanilino)-3-methylbutan-3-one preparation | 828 | Oxygen, reaction with pentaacyanocobaltate(II) ion | 954 |
| Nitrogen-containing molecules, poisoning effect | 549 | Paramagnetic products of oxidation of cyanocobaltate(II) | 557 |
| Nitronaphthalenes in dimethylacetamide, proton magnetic resonance spectra | 1108 | Parker, A. J.— | |
| Novotny, J.— | | Solvation of ions. V. Rates of S_N2 reactions in mixtures of protic and dipolar aprotic solvents | 585 |
| See Badger, G. M. | 613, 623 | Pentacyanocobaltate(II) ion, reaction with molecular oxygen | 954 |
| Nuclear magnetic resonance spectroscopy | 521 | Perfluoroalkylbismuth compounds | 636 |
| Nucleophilic displacement of base from triphenylaluminum compounds | 801 | Perfluoroalkyl radicals, reactions with metals | 722 |
| O'Brien, K. G.— | | Perrin, D. D.— | |
| The esterification of orthoboric acid | 915 | Buffers of low ionic strength for spectrophotometric pK determinations | 572 |
| Occolowitz, J. L.— | | Pethard, Mary R.— | |
| See Barnes, C. S. | 219 | See Mulcahy, M. F. R. | 527 |
| O'Grady, B. V.— | | Petrol, pyrolysis | 392 |
| See Hambly, A. N. | 459 | Phenanthridine, new route | 417 |
| Oil, volatile, of <i>Pseudowintera colorata</i> | 250 | 1,10-Phenanthroline chelates of ruthenium and osmium | 42 |
| Oils of <i>Eucalyptus</i> species | 515 | 1,10-Phenanthroline, complexes of aluminum(III), gallium(III), indium(III) with | 278 |
| Opianic acid and its <i>N</i> -methyl-oxime structure and acid strength | 709 | 1,10-Phenanthrolines, coordination compounds | 34 |
| Organo-aluminum compounds | 794, 801, 807 | 1,10-Phenanthroline, 2,9-dimethyl, physicochemical study | 34 |
| Organophosphorus compounds | 596, 609, 725 | 1,10-Phenanthroline intermediates and by-products | 840 |
| Orthoboric acid esterification | 915 | 1,10-Phenanthroline (substituted) preparation | 833 |
| Osmium and ruthenium chelates | 42 | Phenylaluminum compounds, preparation and properties | 794 |
| Ovalbumin, alkaline titration in copper(II) | 1006 | Phenyl methyl ethers, mass spectra | 219 |
| Ovalbumin, chelate structures formed by copper(II) | 989 | 3-Phenyl-2-thiohydantoins from phenylthiocarbamyl amino acids | 411 |
| Oxidation of ammonia solutions by silver(II) oxide | 969 | | |
| Oxidation of cyanocobaltate(II), paramagnetic products | 557 | | |

| PAGE | PAGE |
|---|---|
| Phosphonic acid esters, preparation 609 | Pugh, Janice M., and Stokes, R. H.— |
| Phosphonium salts, infrared spectra 360 | The dipole moment of tri-isopropanolamine borate in benzene .. 204 |
| Photolysis of dialkyl sulphides, disulphides, and trisulphides .. 1020 | Association in solutions of tri-isopropanolamine borate in benzene 211 |
| Pickering, W. F.— | Pulegone dibromide and epoxide, Favorskii rearrangement .. 858 |
| The oxidation of ammonia solutions by silver(II) oxide .. 969 | Pullman, H. J.— |
| Plowman, R. A.— | See Bell, T. N., and West, B. O. |
| See Hall, J. R., and Marchant, N. K. 34 | 636, 722 |
| Poisoning effect of molecules containing nitrogen, sulphur, or arsenic 549 | <i>Pultenaea altissima</i> F. Muell. ex Benth., major alkaloid .. 246 |
| Polymethyl methacrylate, irradiation defects 1141 | 2-Pyridinaldoxime 356 |
| Polymers, electronic conduction 1056, 1076, 1090 | Pyridine, biaryls from 1126 |
| Polynuclear heterocyclic systems .. 445 | Pyridine, 2-methyl-6-amino- .. 371 |
| Polypyrrole, properties 1090 | Pyridine, 2-thioamido- 371 |
| Polypyrrole, reduction 1076 | Pyrolysis of n-decane 613 |
| Polypyrrole, structure 1056 | Pyrolysis of [$\delta^{14}\text{C}$]butylbenzene .. 623 |
| Potential and Coriolis coupling constants for XY_2 molecules .. 717 | Pyrolysis of a petrol 392 |
| Powell, V. H., and Sutherland, M. D.— | Pyrrole studies 93 |
| Substituted benzophenones from <i>Leptospermum luehmianii</i> (F. M. Bailey) 282 | Quadridentate complexes, exchange of metal ions with .. 779, 788 |
| Propiolic acid 854 | Quaternary 'onium cations of Group VB elements, spectra 499 |
| Protein monolayers, effect of α -radiation 180 | Quaternary 'onium iodo-mercurate(II) complexes, conductances 579 |
| Protic solvents, $\text{S}_{\text{N}}2$ -reaction rates 585 | Quaternization, effect, on electronic spectra of <i>N</i> -heteroaromatic cations 174 |
| Proton magnetic resonance of furquinoline alkaloids 451 | Quinoline, biaryls from 1126 |
| Proton magnetic resonance spectra of heteroaromatic systems .. 1051 | Quinolines formation, isolation of intermediates 814 |
| Proton magnetic resonance spectra of nitronaphthalenes in dimethylacetamide solution 1108 | Quinones from <i>Ventilago viminalis</i> 695 |
| Proton magnetic resonance spectrum of rimuene 1104 | Racemic α -amino acids, resolution 510, 727 |
| Pschorr reactions with sulphonamides 417 | Racemization of 2,2'-bipyridinebis-(1,10-phenanthroline)nickel(II) ion 51 |
| | Racemization of tris-(1,10-phenanthroline)nickel(II) ion, solvent effects 186 |

| | PAGE | | PAGE |
|---|------|---|------|
| Racemization and isomerization of the <i>cis</i> -chloroaquobis(ethylene-diamine)cobalt(III) ion | 352 | Reactions of 2-methyl-6-amino-pyridine and 2-thioamidopyridine with some transition metal ions | 371 |
| α -Radiation, effect on protein monolayers | 180 | Reactions of 2-methyl-6-amino-methylpyridine with group 2B cations | 1190 |
| Raney nickel, hydrogenolysis of aromatic ethers by | 20 | Reaction with diterpenes, selenium dehydrogenation | 225 |
| Raney nickel, degassed, 2,2'-bipyridyl formation from pyridine | 14 | Rearrangements of benziminazole <i>N</i> -oxide | 729 |
| Raney nickel, degassed, 2,2',5',2"-terpyridyl from pyridine with .. | 31 | Retardation correction for flat plates | 774 |
| Rangarajan, S. K.— <i>See</i> Narayanan, K. | 565 | Riggs, N. V.— The system <i>ABXY</i> in nuclear magnetic resonance spectroscopy .. | 521 |
| Raper, W. G. C.— <i>See</i> Badger, G. M., Crocker, H. P., Ennis, B. C., Gayler, J. A., Matthews, W. E., Samuel, Eva L., and Spotswood, T. M. .. | 814 | Riggs, N. V.— <i>See</i> Korsch, B. H. | 709 |
| Rasmussen, M.— <i>See</i> Bosson, Judith A., Ritchie, E., Robertson, A. V., and Taylor, W. C. | 480 | Rimune spectrum | 1104 |
| Rate coefficient and final concentration of a reaction order <i>n</i> .. | 170 | Ritchie, E.— <i>See</i> Bosson, Judith A., Galbraith M. N., and Taylor, W. C. .. | 491 |
| Rate of racemization of <i>cis</i> -chloroaquobis(ethylenediamine)cobalt(III) ion | 352 | <i>See</i> Bosson, Judith A., Rasmussen, M., Robertson, A. V., and Taylor, W. C. | 480 |
| Rate constant of first-order gaseous reaction determination | 527 | Rivett, D. E.— <i>See</i> Milligan, B., and Savige, W. E. | 1020 |
| Rates of <i>S_N2</i> reactions in protic and aprotic solvents | 585 | Robertson, A. V.— The proton magnetic resonance of furoquinoline alkaloids and related compounds | 451 |
| Reaction of aqueous potassium chloroacetate with mercuric oxide | 1123 | <i>See</i> Bosson, Judith A., Rasmussen, M., Ritchie, E., and Taylor, W. C. | 480 |
| Reaction of 2,2'-bipyridyl with methylene sulphate | 289 | Rodda, H. J.— <i>See</i> Badger, G. M., and Christie, B. J. | 734 |
| Reaction of mercuric salts with acetic acid | 508 | Rogasch, P. E.— <i>See</i> Deacon, G. B., and Jones, R. A. | 360 |
| Reaction of methylmagnesium iodide with lanosterol ketones .. | 672 | Rotatory dispersion of cobalt(III) complexes | 334 |
| Reaction of pentacyanocobaltate(II) ion with molecular oxygen .. | 954 | Rottendorf, H., and Sternhell, S.— Hydrogenolysis of aryl <i>p</i> -toluenesulphonates with hydrazine in presence of palladium | 647 |
| Reaction of perfluoralkyl radicals with metals | 722 | | |

- | | PAGE | | PAGE |
|--|----------|--|--------------------|
| Rottendorf, H.— | | Saxby, J.— | |
| <i>See</i> Hellyer, R. O., Bick, I. R. C., | | <i>See</i> Aroney, M. J., and Le Fèvre, | |
| and Nicholls, R. G. | 703 | R. J. W. | 504 |
| Rutaceae, Western Australian, | | Schoental, R.— | |
| chemistry | 123, 292 | Alkaloidal constituents of <i>Crota-</i> | |
| Ruthenium and osmium chelates | 42, 344 | <i>laria fulva</i> Roxb., fulvine and its | |
| | | <i>N</i> -oxide | 233 |
| | | Selenium dehydrogenation reaction | |
| | | with diterpenes | 225 |
| Samuel, Eva L.— | | Shankar, J., and de Souza, B. C.— | |
| <i>See</i> Badger, G. M., Crocker, H. P., | | Hydrolysis of $\text{Co}_{\text{aq}}^{2+}$ and $\text{Ni}_{\text{aq}}^{2+}$ ions | 1119 |
| Ennis, B. C., Gayler, J. A., | | Shannon, J. S.— | |
| Matthews, W. E., Raper, | | Studies in mass spectrometry. | |
| W. G. C., and Spotswood, | | VII. Triterpenoids: ifflaionic | |
| T. M. | 814 | acid | 683 |
| <i>See</i> Calf, G. E. | 833 | Shoppee, C. W.— | |
| Sargeson, A. M.— | | <i>See</i> Lack, Ruth, and Newman, | |
| The rate of racemization and iso- | | B. C. | 896 |
| merization of the <i>cis</i> -chloroaquo- | | Silver(II) oxide, ammonia solutions | |
| bis(ethylenediamine)cobalt(III) | | oxidized | 969 |
| ion | 352 | Silver(II) oxide, hydrogen adsorp- | |
| <i>See</i> Buckingham, D. A., and | | tion | 193 |
| Dwyer, F. P. | 921 | Sime, J. M.— | |
| <i>See</i> MacDermott, T. L. | 334 | <i>See</i> McTigue, P. T. | 592 |
| Sasse, W. H. F.— | | Simes, J. J. H.— | |
| <i>See</i> Calder, I. C., and Spotswood, | | <i>See</i> Eade, R. A., and Hinterber- | |
| T. McL. | 289 | ger, Hertha | 188 |
| <i>See</i> Chandler, G. S. | 20 | <i>See</i> Eade, R. A., and Stevenson, | |
| <i>See</i> Huppertz, J. L. | 417 | Brenda | 900 |
| <i>See</i> Jackson, G. D. F., and | | Siudak, R. V.— | |
| Whittle, C. P. | 1126 | <i>See</i> McNeill, R., Wardlaw, J. H., | |
| Sasse, W. H. F., and Whittle, | | and Weiss, D. E. | 1056 |
| C. P.— | | Skraup, Doebner-Miller, and re- | |
| Synthetical applications of acti- | | lated reactions | 814, 828, 833, 840 |
| vated metal catalysts. | | Smith, F.— | |
| XVI. The role of hydrogen in the | | <i>See</i> Stewart, C. M. | 183 |
| formation of 2,2'-bipyridyl from | | Smith, L. W.— | |
| pyridine under the influence of | | <i>See</i> Culvenor, C. C. J., Morrison, | |
| degassed Raney nickel | 14 | J. D., and Nicholson, A. J. C. | 131 |
| XVIII. The formation of | | Smith, L. W.— | |
| 2,2',5',2"-terpyridyl in the re- | | <i>See</i> Culvenor, C. C. J. | 239 |
| action of pyridine with degassed | | S_N2 reactions in solvent, rates . . | 585 |
| Raney nickel | 31 | Sodium nitrite solutions in sul- | |
| Savage, W. E.— | | phuric and perchloric acids | 927, 933 |
| <i>See</i> Milligan, B., and Rivett, D. E. | 1020 | Solvation of ions | 585 |

| | PAGE | | PAGE |
|---|------|---|------|
| Solvent effects on racemization of tris-(1,10-phenanthroline)-nickel(II) ion | 186 | See Badger, G. M., and Donnelly, Jillian K. | 392 |
| de Souza, B. C.— | | See Badger, G. M., Hinde, R. W., and Matthews, W. E. | 732 |
| See Shankar, J. | 1119 | See Calder, I. C., and Sasse, W. H. F. | 289 |
| Spectra, electronic, of <i>N</i> -heteroaromatic cations | 174 | See Clark-Lewis, J. W., and Williams, L. R. | 107 |
| Spectra, electronic, of weakly-coupled systems | 315 | Spreading from solid hexadecanol | 76 |
| Spectra, infrared, of 2-monosubstituted pyrroles | 93 | Spurling, T. H.— | |
| Spectra, infrared, of phosphonium salts | 360 | See Bottomley, G. A. | 1 |
| Spectra, infrared, of quaternary onium cations | 499 | Stereochemistry of flavan-4 β -ols | 107 |
| Spectra, mass, of phenyl methyl ethers | 219 | Stereochemistry of tritium substitution by the Wilzbach method | 252 |
| Spectra of heteroaromatic systems, proton magnetic resonance | 1051 | Stereochemistry of rings A and B in 6-substituted Δ^4 -3-oxosteroids | 1030 |
| Spectra of nitronaphthalenes in dimethylacetamide | 1108 | Stereochemistry of zinc(II) | 980 |
| Spectrometry studies, triterpenoids | 683 | Sternhell, S.— | |
| Spectrophotometric <i>pK</i> determination buffers | 572 | See Collins, D. J., and Hobbs, J. J. | 1030 |
| Spectrophotometry of nitrate solutions | 943 | Steroid $\alpha\beta$ -epoxyketones | 874 |
| Spectrophotometry of sodium nitrite solutions | 933 | Stevenson, Brenda— | |
| Spectroscopy, n.m.r., <i>ABXY</i> systems | 521 | See Eade, R. A., and Simes, J. J. H. | 900 |
| Spectrum of rimuene, proton magnetic resonance | 1104 | Stewart, C. M., and Smith, F.— | |
| Spin-spin coupling in systems with defined geometry | 1030 | Furfuraldehyde from 4- <i>O</i> -methyl-D-glucuronic acid | 183 |
| Spinner, E.— | | Stokes, R. H.— | |
| The effect of <i>N</i> -methylation (quaternization) on the electronic spectra of some <i>N</i> -heteroaromatic cations | 174 | Equivalence points and inflexion points in acid-base titration curves | 759 |
| Spotswood, T. M.— | | Sternhell, S.— | |
| See Badger, G. M., Crocker, H. P., Ennis, B. C., Gayler, J. A., Matthews, W. E., Raper, W. G. C., and Samuel, Eva L. | 814 | See Rottendorf, H. | 647 |
| | | Stretching, vibration | 7 |
| | | Structure of diacylbenziminazolones | 729 |
| | | Structure of eriostemoic acid | 123 |
| | | Structure of ifflaamine | 480 |
| | | Structure of ifflaionic acid | 491 |
| | | Structure of tasmanone | 703 |
| | | Structure of opianic acid and its <i>N</i> -methyl oxime | 709 |
| | | Structure of three-coordinated copper(II) complexes | 7 |
| | | Structures of crispatine and fulvine | 239 |

| | PAGE | | PAGE |
|---|----------|--|-----------|
| Sutherland, M. D.— | | <i>Tagetes</i> roots, nematocidal principles | 475 |
| See Powell, V. H. | 282 | Taylor, W. C.— | |
| Sulphur-containing molecules, poisoning effect | 549 | See Bosson, Judith A., Rasmussen, M., Ritchie, E., and Robertson, A. V. | 480 |
| Sutton, G. J.— | | See Bosson, Judith A., Galbraith, M. N., and Ritchie, E. | 491 |
| Complexes of aluminium(III), gallium(III), and indium(III) with 1,10-phenanthroline | 278 | Tasmanone structure | 703 |
| Reactions of 2-methyl-6-aminomethylpyridine and 2-thioamidopyridine with Group 2B cations | 1137 | <i>Teclea simplicifolia</i> , isolation of <i>NN</i> -dimethyl 4-methoxyphenylethylamine | 734 |
| Some studies in inorganic complexes. | | Temple, R. B.— | |
| XIV. Reactions of 2-methyl-6-aminopyridine and 2-thioamidopyridine with some transition metal ions | 371 | See de Bruin, H. J., and Fardy, J. J. | 376 |
| XVI. Thallium(III) complexes of 2-aminomethylpyridine and 6-methylaminopyridine; tris(2,2'-bipyridyl)aluminium(III) perchlorate | 1134 | Tetrabutoxytitanium in benzene, molar Kerr constants | 504 |
| Svasti, M. C. K.— | | Thallium(III) complexes of 2-aminomethylpyridine | 1134 |
| See Green, R. W. | 356 | 2-Thioamidopyridine | 371, 1137 |
| Swan, J. M.— | | Thiyl radicals | 845 |
| See Maynard, Judith A. | 596, 609 | Timbers, Australian, extractives of | 188, 900 |
| See Meisters, A. | 725 | Tin, alkyl-, isomerism | 985 |
| Swinbourne, E. S.— | | Titanium, tetrabutoxy-, molar Kerr constants | 504 |
| Determination of the rate coefficient and final concentration of a reaction order n | 170 | Titanium tetraiodide decomposition | 66 |
| Synthesis of 6,7-benzochromanone, and 6,7-cyclohexenochromanone | 690 | Titration curves, equivalence and inflexion points in acid base | 759 |
| Synthesis of 4 α -bromo-5 β -cholestan-3 β ,5-diol 3-acetate | 658 | Titration of ovalbumin in copper(II) <i>p</i> -Toluenesulphonates, aryl, hydrolysis with hydrazine | 647 |
| Synthesis of 6 α -bromo-4 α ,5-epoxy-5 α -cholestan-3-one and its isomer | 874 | Tosyl α -amino acids | 889 |
| Synthesis of linear diazochromanones | 101 | Transition metal ions, reactions of 2-methyl-6-aminopyridine and 2-thioamidopyridine | 371 |
| Synthesis of peptides of L-leucine and glycine | 160 | Trifluoroiodomethane as solvent | 1132 |
| Synthetical applications of activated metal catalysts 14, 20, 31, | 1126 | Tri-isopropanolamine borate in benzene, association in solutions | 211 |
| | | Tri-isopropanolamine borate in benzene, dipole moment | 204 |
| | | Triphenylaluminium, reaction with carbonyl compounds | 807 |
| | | Triterpenoids: ifflaionic acid | 683 |
| | | Tris-(1,10-phenanthroline)nickel(II) ion racemization, solvent effects | 186 |

| | PAGE | | PAGE |
|--|----------|---|-----------|
| Turnbull, A. G., and Watts, J. A.— The disproportionation of zirconium trichloride | 947 | Wells, P. R., and Kitching, W.— The reaction of aqueous potassium chloroacetate and mercuric oxide | 1123 |
| Turnbull, K. B.— See Dwyer, F. P., and Halpern, B. | 510, 727 | The reaction of mercuric salts with acetic acid | 508 |
| <i>Velleia discophora</i> F. Muell., discophoradin, new coumarin .. | 143 | West, B. O.— See Bell, T. N., and Pullman, H. J. | 722 |
| <i>Ventilago viminalis</i> quinones .. | 695 | See Deacon, G. B. | 579, 1132 |
| Vernix caseosa, fatty acid composition | 679 | See Fee, W. W. | 779, 788 |
| Vibration, infrared C=O stretching | 7 | Whittle, C. P.— See Badger, G. M. | 440 |
| Vibrational assignments of phosphonium salts | 360 | See Jackson, G. D. F., and Sasse, W. H. F. | 1126 |
| Vibrations, molecular, exciton theory of molecular aggregates | 295, 315 | See Sasse, W. H. F. | 14, 41 |
| Virial coefficients for unlike interactions | 1 | Wilkie, R. J.— See Bayliss, N. S., Dingle, R., and Watts, D. W. | 933 |
| Volatile oil of <i>Pseudowintera colorata</i> | 250 | Williams, L. R.— See Spotswood, T. McL., and Clark-Lewis, J. W. | 107 |
| Volatile oils of <i>Eucalyptus</i> species | 515 | See Clark-Lewis, J. W. | 869 |
| van der Waals attraction between colloidal particles | 774 | Wilshire, J. F. K.— The Kolbe electrolysis in acetonitrile as solvent | 432 |
| Wardlaw, J. H.— See McNeill, R., Siudak, R. V., and Weiss, D. E. | 1056 | Wilzbach method, tritium substitution | 252 |
| Watts, D. W.— See Bayliss, N. S. .. 927, 933, 943 | | Winfield, M. E.— See Bayston, J. H., Beale, R. N., and Kelso King, N. | 954 |
| Watts, J. A.— See Turnbull, A. G. | 947 | See Bayston, J. H., and Looney, F. D. | 557 |
| Weeden, D. G.— See Graddon, D. P. | 980 | X-sensitive vibration near 1100 cm ⁻¹ | 499 |
| Weiss, D. E.— See Bolto, B. A. | 1076 | XY ₂ molecules, Coriolis coupling constants | 717 |
| See Bolto, B. A., and McNeill, R. | 1090 | Young, H.— See Corbett, R. E. | 250 |
| See McNeill, R., Siudak, R. V., and Wardlaw, J. H. | 1056 | Zinc(II), bis(acetylacetonato)-, derivatives | 980 |
| Wells, P. R.— Enol lactones of dibromoacetylacrylic acid | 165 | Zirconium trichloride, disproportionation | 947 |
| Wells, P. R., and Alcorn, P. G. E.— Proton magnetic resonance spectra of nitronaphthalenes in dimethylacetamide solution .. | 1108 | | |

AUSTRALIAN JOURNAL OF CHEMISTRY

VOLUME 16

MELBOURNE
1963

AUSTRALIAN JOURNAL OF CHEMISTRY

Published by the Commonwealth Scientific and Industrial Research Organization. Volumes 1 to 5 of the Australian Journal of Physics and the Australian Journal of Chemistry issued as the Australian Journal of Scientific Research, Series A: Physical Sciences. Issued six times a year, £2 per annum.

BOARD OF STANDARDS

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of Professor W. P. Rogers (Chairman), Mr. A. E. Scott (Editor-in-Chief), Professor N. S. Bayliss, Professor Sir Macfarlane Burnet, and Professor J. S. Turner.

ADVISORY COMMITTEE

Acceptance of papers for this Journal is in the hands of an Advisory Committee appointed by the Board of Standards in consultation with the Royal Australian Chemical Institute and consisting of Mr. A. E. Scott (Editor-in-Chief and Chairman), Professor G. M. Badger, Professor N. S. Bayliss, Professor R. D. Brown, Professor A. N. Hambly, Professor R. J. W. Le Fèvre, and Dr. J. R. Price.

All enquiries and manuscripts should be forwarded to:

The Editor-in-Chief,
Australian Journal of Chemistry,
Commonwealth Scientific and Industrial Research Organization,
372 Albert Street, East Melbourne, C.2, Victoria

MELBOURNE

CONTENTS

NUMBER 1, FEBRUARY 1963

| | PAGE |
|---|------|
| Virial Coefficients for Unlike Interactions. By G. A. Bottomley and T. H. Spurling | 1 |
| The Structure of Three-Coordinated Copper(II) Complexes and the Infrared C=O Stretching Vibration. By M. Kubo, Y. Kuroda, M. Kishita, and Y. Muto | 7 |
| Synthetical Applications of Activated Metal Catalysts. XVI. The Role of Hydrogen in the Formation of 2,2'-Bipyridyl from Pyridine under the Influence of Degassed Raney Nickel. By W. H. F. Sasse and C. P. Whittle | 14 |
| Synthetical Applications of Activated Metal Catalysts. XVII. The Hydrogenolysis of Aromatic Ethers by Raney Nickel. By G. S. Chandler and W. H. F. Sasse | 20 |
| Synthetical Applications of Activated Metal Catalysts. XVIII. The Formation of 2,2',5',2"-Terpyridyl in the Reaction of Pyridine with Degassed Raney Nickel. By W. H. F. Sasse and C. P. Whittle | 31 |
| Coordination Compounds of Substituted 1,10-Phenanthrolines and Related Dipyridyls. IV. Physicochemical Study of Complexes of Copper and 2,9-Dimethyl-1,10-phenanthroline. By J. R. Hall, N. K. Marchant, and R. A. Plowman | 34 |
| Mono- and Bis-(2,2'-bipyridine) and (1,10-Phenanthroline) Chelates of Ruthenium and Osmium. I. Monochelates of Bivalent, Tervalent, and Quadrivalent Ruthenium. By the Late F. P. Dwyer, H. A. Goodwin, and in part E. C. Gyarfas | 42 |
| The Mechanisms of Racemization of the 2,2'-Bipyridinebis-(1,10-phenanthroline)nickel(II) Ion and the 1,10-Phenanthrolinebis-(2,2'-bipyridine)-nickel(II) Ion. By J. A. Broomhead and the Late F. P. Dwyer | 51 |
| Kinetics of Decomposition of Titanium Tetraiodide. By K. McG. Bowling | 66 |
| Spreading from Solid Hexadecanol. By W. W. Mansfield | 76 |
| Equilibria in Acetic Acid: Triple Ion Equilibrium Constants of Sodium Perchlorate and Perchloric Acid at 105.7°C. By R. J. L. Martin | 84 |
| Pyrrole Studies. I. The Infrared Spectra of 2-Monosubstituted Pyrroles. By R. A. Jones | 93 |
| Synthesis of Some Linear Benzochromanones. By K. H. Bell and H. Duewell | 101 |

NUMBER 1, FEBRUARY 1963 (Continued)

| | PAGE |
|---|------|
| Flavan Derivatives. VII. The Stereochemical Course of the Synthesis of 2,3- <i>cis</i> -Flavan-3,4- <i>trans</i> -diol Diacetates, and the 2,4- <i>cis</i> -Stereochemistry of Flavan-4 β -ols. By J. W. Clark-Lewis, T. McL. Spotswood, and L. R. Williams | 107 |
| Himbacine Derivatives and Synthetic Analogues. By M. N. Galbraith, J. J. Hobbs, and R. A. Massy-Westropp | 112 |
| The Chemistry of the Western Australian Rutaceae. II. The Structure of Eriostemoic Acid. By A. M. Duffield and P. R. Jefferies | 123 |
| Alkaloids of <i>Crotalaria trifoliolatum</i> Willd. II. 1-Methoxymethyl-1,2-epoxy-pyrrolizidine. By C. C. J. Culvenor, J. D. Morrison, A. J. C. Nicholson, and L. W. Smith | 131 |
| β -Bromopicrotoxinin. By R. M. Carman | 136 |
| Discophoridin, A New Coumarin from <i>Velleia discophora</i> F. Muell. By W. Bottomley | 143 |
| The Chemistry of Eucalypt Kinols. IV. <i>Eucalyptus hemiphloia</i> Kino. By W. E. Hillis and Ann Carle | 147 |
| The Synthesis of Some Peptides of L-Leucine and Glycine. By A. F. Beecham | 160 |
| <i>Short Communications</i> | |
| Enol Lactones of Dibromoacetylacrylic Acid. By P. R. Wells | 165 |
| Determination of the Rate Coefficient and Final Concentration of a Reaction of Order <i>n</i> . By E. S. Swinbourne | 170 |
| The Effect of <i>N</i> -Methylation (Quaternization) on the Electronic Spectra of Some <i>N</i> -Heteroaromatic Cations. By E. Spinner | 174 |
| The Acid-catalysed Enolization of Acetaldehyde: The Basicity of Acetaldehyde. By P. T. McTigue and L. C. Gruen | 177 |
| The Effect of α -Radiation on Protein Monolayers. By J. F. Chambers .. | 180 |
| Furfuraldehyde from 4- <i>O</i> -Methyl-D-glucuronic Acid. By C. M. Stewart and F. Smith | 183 |
| Solvent Effects on the Racemization of the Tris-(1,10-phenanthroline)nickel(II) Ion. By J. A. Broomhead | 186 |
| Extractives of Australian Timbers. III. Afromosin (Castanin, 6,4'-Dimethoxy-7-hydroxyisoflavone) from <i>Castanospermum australe</i> Cunn. et Fras. By R. A. Eade, Hertha Hinterberger, and J. J. H. Simes | 188 |
| Extractives from the New Zealand Myrtaceae. VI. Arjunolic Acid from the Heartwood of <i>Metrosideros umbellata</i> . By R. E. Corbett and C. R. Bailey | 191 |

NUMBER 2, APRIL 1963

| | PAGE |
|---|------|
| The Adsorption of Hydrogen on Silver(I) Oxide. By J. A. Allen | 193 |
| The Dipole Moment of Tri-isopropanolamine Borate in Benzene. By Janice M. Pugh and R. H. Stokes | 204 |
| Association in Solutions of Tri-isopropanolamine Borate in Benzene. By Janice M. Pugh and R. H. Stokes | 211 |
| The Mass Spectra of Phenyl Methyl Ethers. By C. S. Barnes and J. L. Occolowitz | 219 |
| The Selenium Dehydrogenation Reaction with Diterpenes. By R. M. Carman | 225 |
| Alkaloidal Constituents of <i>Crotalaria fulva</i> Roxb., Fulvine and Its <i>N</i> -Oxide. By R. Schoental | 233 |
| Alkaloids of <i>Crotalaria crispata</i> F. Muell. ex Benth., The Structures of Crispatine and Fulvine. By C. C. J. Culvenor and L. W. Smith | 239 |
| The Major Alkaloid of <i>Pultenaea altissima</i> F. Muell. ex Benth., <i>N</i> (b) <i>N</i> (b)-Dimethyl-L-tryptophan Methyl Ester. By J. S. Fitzgerald | 246 |
| The Volatile Oil of <i>Pseudowintera colorata</i> . IV. Epicyclocolorenone. By R. E. Corbett and H. Young | 250 |
| The Stereochemistry of Tritium Substitution by the Wilzbach Method. I. (—)-Inositol. By S. J. Angyal, J. L. Garnett, and R. M. Hoskinson .. | 252 |
| The Formation of 5-Hydroxymethylfurfural from Hexoses. By C. J. Moye and Z. S. Krzeminski | 258 |
| Degradation of Carbohydrates. IV. Formation of <i>cis</i> -Unsaturated Hexosones. By E. F. L. J. Anet | 270 |

Short Communications

| | |
|---|-----|
| Complexes of Aluminium(III), Gallium(III), and Indium(III) with 1,10-Phenanthroline. By G. J. Sutton | 278 |
| Substituted Benzophenones from <i>Leptospermum huehmannii</i> (F. M. Bailey). By V. H. Powell and M. D. Sutherland | 282 |
| Arsenobenzene and Related Compounds. By G. M. Badger, R. J. Drewer, and G. E. Lewis | 285 |
| The Formation of the 6,8-Dihydrodipyrido[1,2- <i>c</i> :2',1'- <i>e</i>][1,3,6]oxadiazepidinium Cation in the Reaction of 2,2'-Bipyridyl with Methylene Sulphate. By I. C. Calder, W. H. F. Sasse, and T. McL. Spotswood | 289 |
| The Chemistry of the Western Australian Rutaceae. III. The Alkaloids of <i>Boronia ternata</i> Endl. By A. M. Duffield and P. R. Jefferies | 292 |

NUMBER 3, JUNE 1963

| | PAGE |
|--|------|
| Molecular Vibrations in the Exciton Theory for Molecular Aggregates. IV. Excited States of Weakly-coupled Systems. By E. G. McRae | 295 |
| Molecular Vibrations in the Exciton Theory for Molecular Aggregates. V. Electronic Spectra of Weakly-coupled Systems. By E. G. McRae .. | 315 |
| Rotatory Dispersion and Configuration of Cobalt(III) Complexes. By T. E. MacDermott and A. M. Sargeson | 334 |
| The Rate of Racemization and Isomerization of the <i>cis</i> -Chloroaquobis(ethylene-diamine)cobalt(III) Ion. By A. M. Sargeson | 352 |
| Copper(II) Complexes of 2-Pyridinaldoxime. By R. W. Green and M. C. K. Svasti | 356 |
| The Infrared Spectra of Quaternary 'onium Cations of Group VB Elements. II. Vibrational Assignments for Some Tetraphenyl-, Triphenylmethyl-, Triphenylethyl-, Tetraethylphosphonium Salts. By G. B. Deacon, R. A. Jones, and P. E. Rogasch | 360 |
| Some Studies in Inorganic Complexes. XIV. Reactions of 2-Methyl-6-amino-pyridine and 2-Thioamidopyridine with Some Transition Metal Ions. By G. J. Sutton | 371 |
| The Ion-exchange Behaviour of Beryllium Salicylate Complexes. By H. J. de Bruin, J. J. Fardy, and R. B. Temple | 376 |
| The Formation of Aromatic Hydrocarbons at High Temperatures. XVII. The Pyrolysis of a Petrol. By G. M. Badger, Jillian K. Donnelly, and T. M. Spotswood | 392 |
| The Effects of Substituents on the pK_a Values of " <i>meta</i> "-Substituted 1- and 2-Naphthols. By A. Bryson and R. W. Matthews | 401 |
| The Formation of 3-Phenyl-2-thiohydantoins from Phenylthiocarbamyl Amino Acids. By D. Ilse and P. Edman | 411 |
| Pschorr Reactions with Sulphonamides derived from <i>N</i> -Benzyl- <i>o</i> -phenylene-diamine: A New Route to Phenanthridine, and a New Type of Molecular Rearrangement. By J. L. Huppertz and W. H. F. Sasse | 417 |
| The Kolbe Electrolysis in Acetonitrile as Solvent. By J. F. K. Wilshire .. | 432 |
| Reaction of Naphthyl Radicals with Naphthalene. By G. M. Badger and C. P. Whittle | 440 |
| Polynuclear Heterocyclic Systems. XV. Dihydroquinoxalino[2,3- <i>b</i>]quinoxalines. By G. M. Badger and P. J. Nelson | 445 |

NUMBER 3, JUNE 1963 (Continued)

| | PAGE |
|--|------|
| The Proton Magnetic Resonance of Furoquinoline Alkaloids and Related Compounds. By A. V. Robertson | 451 |
| Hydrogen Bonding in Organic Compounds. VIII. Aromatic Primary Amines with <i>ortho</i> -Carbonyl Groups. By A. N. Hambly and B. V. O'Grady .. | 459 |
| The Nematocidal Principles of <i>Tagetes</i> Roots. By D. H. S. Horn and J. A. Lamberton | 475 |
| The Chemical Constituents of Australian <i>Flindersia</i> Species. XVII. The Structure of Ifflaamine. By Judith A. Bosson, M. Rasmussen, E. Ritchie, A. V. Robertson, and W. C. Taylor | 480 |
| The Chemical Constituents of Australian <i>Flindersia</i> Species. XVIII. The Structure of Ifflaionic Acid. By Judith A. Bosson, M. N. Galbraith, E. Ritchie, and W. C. Taylor | 491 |

Short Communications

| | |
|---|-----|
| The Infrared Spectra of Quaternary 'onium Cations of Group VB Elements. III. The "X-Sensitive" Vibration near 1100 cm ⁻¹ . By G. B. Deacon and R. A. Jones | 499 |
| The Electric Dipole Moment and Molar Kerr Constant of Tetrabutoxytitanium in Benzene. By M. J. Aroney, R. J. W. Le Fèvre, and J. Saxby .. | 504 |
| The Reaction of Mercuric Salts with Acetic Acid. By P. R. Wells and W. Kitching | 508 |
| Resolution of Racemic α -Amino Acids. I. Neutral α -Amino Acids. By The Late F. P. Dwyer, B. Halpern, and K. R. Turnbull | 510 |
| The Volatile Oils of the Genus <i>Eucalyptus</i> (Family Myrtaceae). II. The Leaf Oils of <i>E. oblonga</i> DC. (Syn. <i>E. sparsifolia</i> Blakely) and <i>E. mitchelliana</i> Cambage. By R. O. Hellyer and H. H. G. McKern | 515 |

NUMBER 4, AUGUST 1963

| | PAGE |
|---|------|
| The System <i>ABXY</i> in Nuclear Magnetic Resonance Spectroscopy. By N. V. Riggs | 521 |
| Errors in Determining the Rate Constant of a First-order Gaseous Reaction by the Flow Method. By M. F. R. Mulcahy and Mary R. Pethard .. | 527 |
| Mono- and Bis-(2,2'-bipyridine) and -(1,10-phenanthroline) Chelates of Ruthenium and Osmium. II. Bischelates of Bivalent and Tervalent Ruthenium. By The Late F. P. Dwyer, H. A. Goodwin, and (in part) E. C. Gyarfas | 544 |
| Deuterium-exchange Reactions with Substituted Aromatics. IV. The Poisoning Effect of Molecules Containing Nitrogen, Sulphur, or Arsenic. By R. A. Ashby and J. L. Garnett | 549 |
| Paramagnetic Products of the Oxidation of Cyanocobaltate(II). By J. H. Bayston, F. D. Looney, and M. E. Winfield | 557 |
| Faradaic Admittance and Migration in the Diffuse Double-Layer: Effect on the Phase Angle. By K. Narayanan and S. K. Rangarajan | 565 |
| Buffers of Low Ionic Strength for Spectrophotometric <i>pK</i> Determinations. By D. D. Perrin | 572 |
| Conductances of Some Group V Quaternary 'onium Iodomercurate(II) Complexes. By G. B. Deacon and B. O. West | 579 |
| Solvation of Ions. V. Rates of <i>S_N2</i> Reactions in Mixtures of Protic and Dipolar Aprotic Solvents. By A. J. Parker | 585 |
| The Basic Strength of Formaldehyde. By P. T. McTigue and J. M. Sime .. | 592 |
| Organophosphorus Compounds. I. 2-Chloroalkylphosphonic Acids as Phosphorylating Agents. By Judith A. Maynard and J. M. Swan | 596 |
| Organophosphorus Compounds. II. Preparation of Phosphonic Acid Esters using the Dicyclohexylcarbodi-imide Reagent. By Judith A. Maynard and J. M. Swan | 609 |
| The Formation of Aromatic Hydrocarbons at High Temperatures. XVIII. The Pyrolysis of <i>n</i> -Decane. By G. M. Badger and J. Novotny | 613 |
| The Formation of Aromatic Hydrocarbons at High Temperatures. XIX. The Pyrolysis of [δ - ¹⁴ C]Butylbenzene. By G. M. Badger and J. Novotny | 623 |
| Perfluoroalkylbismuth Compounds. I. Mixed Alkylperfluoroalkyl Derivatives. By T. N. Bell, B. J. Pullman, and B. O. West | 636 |

NUMBER 4, AUGUST 1963 (Continued)

| | PAGE |
|---|------|
| Hydrogenolysis of Aryl <i>p</i> -Toluenesulphonates with Hydrazine in presence of Palladium. By H. Rottendorf and S. Sternhell | 647 |
| Synthesis and Rearrangement Reactions of 4 α -Bromo-5 β -cholestane-3 β ,5-diol 3-Acetate. By D. J. Collins | 658 |
| Methylsteroids. VIII. The Reaction of Methylmagnesium Iodide with Ketones derived from Lanosterol. By C. S. Barnes and B. D. Beilby | 672 |
| The Fatty Acid Composition of Vernix caseosa. By D. T. Downing | 679 |
| Studies in Mass Spectrometry. VII. Triterpenoids: Ifflaionic Acid. By J. S. Shannon | 683 |
| Linear Benzochromanones and Benzochromones. II. Synthesis of 6,7-Cyclohexenochromanone, 6,7-Benzochromanone, 6,7-Cyclohexenochromone, and 6,7-Benzochromone. By K. H. Bell and H. Duewell | 690 |
| Colouring Matters of Australian Plants. XI. Quinones from <i>Ventilago viminalis</i> . By R. G. Cooke and B. L. Johnson | 695 |
| The Structure of Tasmanone. By R. O. Hellyer, I. R. C. Bick, R. G. Nicholls, and H. Rottendorf | 703 |
| Structure and Acid Strength of Opianic Acid and Its <i>N</i> -Methyl Oxime. By B. H. Korsch and N. V. Riggs | 709 |

Short Communications

| | |
|--|-----|
| Potential Constants and Coriolis Coupling Constants for Some Non-linear Symmetrical XY ₂ Type Molecules. By G. Nagarajan | 717 |
| The Reactions of Perfluoroalkyl Radicals with Metals. By T. N. Bell, B. J. Pullman, and B. O. West | 722 |
| Organophosphorus Compounds. III. The Decomposition of <i>p</i> -Nitrobenzylphosphonic Acid in Alkali. By A. Meisters and J. M. Swan | 725 |
| Resolution of Racemic α -Amino Acids. II. Acidic α -Amino Acids. By The Late F. P. Dwyer, B. Halpern, and K. R. Turnbull | 727 |
| Rearrangements of Benzimidazole <i>N</i> -Oxide: The Structure of Diacylbenzimidazolones. By N. F. Cheetham, W. F. Forbes, D. J. Kew, and P. F. Nelson | 729 |
| The Condensation of Cyclohexanone and Anthranilic Acid. By G. M. Badger, R. W. Hinde, W. E. Matthews, and T. M. Spotswood | 732 |
| Isolation of <i>NN</i> -Dimethyl 4-Methoxyphenylethylamine from <i>Teclea simplicifolia</i> . By G. M. Badger, B. J. Christie, and H. J. Rodda | 734 |

NUMBER 5, OCTOBER 1963

| | PAGE |
|---|------|
| The Electronic Structures of A_2Y_4 Molecules. By R. D. Brown and R. D. Harcourt | 737 |
| Equivalence Points and Inflection Points in Acid-Base Titration Curves. By R. H. Stokes | 759 |
| Van Der Waals Attraction between Colloidal Particles: The Retardation Correction for Flat Plates of Arbitrary Thickness. By R. J. Hunter .. | 774 |
| The Exchange of Metal Ions with Quadridentate Complexes. I. The Effects of Metal Salts and Solvents. By W. W. Fee and B. O. West | 779 |
| The Exchange of Metal Ions with Quadridentate Complexes. II. Copper Ions with Several Nickel Complexes. By W. W. Fee and B. O. West | 788 |
| Organo-Aluminium Compounds. I. Preparation and Properties of Some Phenylaluminium Compounds. By T. Mole | 794 |
| Organo-Aluminium Compounds. II. Nucleophilic Displacement of Base from Triphenylaluminium Complexes. By T. Mole | 801 |
| Organo-Aluminium Compounds. III. Reactions of Triphenylaluminium with Carbonyl Compounds. By T. Mole | 807 |
| Studies on the Doebner-Miller, Skraup, and Related Reactions. I. Isolation of Intermediates in the Formation of Quinolines. By G. M. Badger, H. P. Crocker, B. C. Ennis, J. A. Gayler, W. E. Matthews, W. G. C. Raper, Eva L. Samuel, and T. M. Spotswood | 814 |
| Studies on the Doebner-Miller, Skraup, and Related Reactions. II. Preparation and Cyclization of 4-(2'-Nitroanilino)-3-methylbutan-2-one. By G. M. Badger, B. C. Ennis, and W. E. Matthews | 828 |
| Studies on the Doebner-Miller, Skraup, and Related Reactions. III. Preparation of Some Substituted 1,10-Phenanthrolines. By G. E. Calf and Eva L. Samuel | 833 |
| Studies on the Doebner-Miller, Skraup, and Related Reactions. IV. Intermediates and By-products in the Preparation of 1,10-Phenanthrolines. By G. M. Badger, H. P. Crocker, and B. C. Ennis | 840 |
| Thiyl Radicals. II. Reactions of <i>meso</i> -Substituted Anthracene Derivatives with Oxygen and Mercaptoacetic Acid. By A. L. J. Beckwith and Low Beng See | 845 |
| Addition of Propiolic Acid to Aryl-substituted Propiolic Acids. By A. D. Campbell and M. R. Grimmett | 854 |

NUMBER 5, OCTOBER 1963 (Continued)

| | PAGE |
|---|------|
| Favorskii Rearrangement of Pulegone Dibromide and Pulegone Epoxide. By S. A. Achmad and G. W. K. Cavill | 858 |
| Flavan Derivatives. VIII. The Configurations of Some Flavan-3,4-diols Determined by Oxidation with Lead Tetra-acetate. By J. W. Clark-Lewis and L. R. Williams | 869 |
| Steroidal $\alpha\beta$ -Epoxyketones. II. Synthesis of 6 α -Bromo-4 α ,5-epoxy-5 α -cholestan- 3-one and Its 4 β ,5 β -Isomer. By D. J. Collins and J. J. Hobbs | 874 |
| Tosyl- α -amino Acids. III. The Acid-catalysed Degradation of Tosyl- α -amino Acids and Derivatives. By A. F. Beecham | 889 |
| The Chemical Constituents of the Leaves of <i>Digitalis lanata</i> . By Ruth Lack, B. C. Newman, and C. W. Shoppee | 896 |
| Extractives of Australian Timbers. IV. Castanogenin (Medicagenic Acid) and Bayogenin, C ₃₀ H ₄₈ O ₅ , from <i>Castanospermum Australe</i> Cunn. et Fras. By R. A. Eade, J. J. H. Simes, and Brenda Stevenson | 900 |

Short Communications

| | |
|--|-----|
| Potential Constants for the Hexafluorides of Molybdenum and Rhenium. By G. Nagarajan | 906 |
| Mean Amplitudes of Vibration and Thermodynamic Functions of Chromium Dioxide and Chromium Trioxide. By G. Nagarajan | 908 |
| The Esterification of Orthoboric Acid. By K. G. O'Brien | 915 |
| The Conformation of 1,4-Cyclohexanedione and the Two Isomeric 1,4-Dithiane- 1,4-dioxides. By C.-Y. Chen and R. J. W. Le Fèvre | 917 |
| Disproportionation in Synthetic Reactions with Cobalt(III) Complexes. By D. A. Buckingham, the Late F. P. Dwyer, and A. M. Sargeson | 921 |

NUMBER 6, DECEMBER 1963

| | PAGE |
|--|------|
| The Decomposition of Sodium Nitrite Solutions in Aqueous Sulphuric and Perchloric Acids. By N. S. Bayliss and D. W. Watts | 927 |
| The Spectrophotometry of Sodium Nitrite Solutions in Aqueous Sulphuric and Perchloric Acids and the Equilibrium between Nitrosonium Ion and Nitrous Acid. By N. S. Bayliss, R. Dingle, D. W. Watts, and R. J. Wilkie | 933 |
| The Spectrophotometry of Nitrate Solutions in Aqueous Sulphuric Acid. By N. S. Bayliss and D. W. Watts | 943 |
| The Disproportionation of Zirconium Trichloride. By A. G. Turnbull and J. A. Watts | 947 |
| Reaction of the Pentacyanocobaltate(II) Ion with Molecular Oxygen. By J. H. Bayston, R. N. Beale, N. Kelso King, and M. E. Winfield | 954 |
| The Oxidation of Ammonia Solutions by Silver(II) Oxide. By W. F. Pickering | 969 |
| Studies in the Stereochemistry of Zinc(II). I. Derivatives of Bis(acetylacetonato)zinc(II). By D. P. Graddon and D. G. Weeden | 980 |
| Isomerism in Alkyltin Compounds. By R. A. Cummins | 985 |
| The Nature of the Chelate Structures Formed by Copper(II) and Ovalbumin in the Biuret Reaction. By A. C. Jennings | 989 |
| The Alkaline Titration of Ovalbumin in the Presence of Copper(II). By A. C. Jennings | 1006 |
| The Photolysis of Dialkyl Sulphides, Disulphides, and Trisulphides. By B. Milligan, D. E. Rivett, and W. E. Savige | 1020 |
| The Stereochemistry of Rings A and B in 6-Substituted Δ^4 -3-Oxosteroids: A Study of H^1 Allylic Spin-Spin Coupling in Systems with Defined Geometry. By D. J. Collins, J. J. Hobbs, and S. Sternhell | 1030 |
| Photochemical Reactions of Azo Compounds. II. Photochemical Cyclodehydrogenations of Methyl- and Dimethylazobenzenes. By G. M. Badger, R. J. Drewer, and G. E. Lewis | 1042 |
| The Analysis of the Proton Magnetic Resonance Spectra of Heteroaromatic Systems. I. Indazole. By P. J. Black and M. L. Heffernan | 1051 |
| Electronic Conduction in Polymers. I. The Chemical Structure of Polypyrrole. By R. McNeill, R. Siudak, J. H. Wardlaw, and D. E. Weiss | 1056 |

NUMBER 6, DECEMBER 1963 (*Continued*)

| | PAGE |
|--|------|
| Electronic Conduction in Polymers. II. The Electrochemical Reduction of Polypyrrole at Controlled Potential. By B. A. Bolto and D. E. Weiss .. | 1076 |
| Electronic Conduction in Polymers. III. Electronic Properties of Polypyrrole. By B. A. Bolto, R. McNeill, and D. E. Weiss | 1090 |
| The Proton Magnetic Resonance Spectrum of Rimuene. By R. M. Carman | 1104 |
| Proton Magnetic Resonance Spectra of Nitronaphthalenes in Dimethylacetamide Solution. By P. R. Wells and P. G. E. Alcorn | 1108 |

Short Communications

| | |
|---|------|
| Hydrolysis of $\text{Co}^{2+}_{\text{aq}}$ and $\text{Ni}^{2+}_{\text{aq}}$ Ions. By J. Shankar and B. C. De Souza .. | 1119 |
| The Reaction of Aqueous Potassium Chloroacetate with Mercuric Oxide. By P. R. Wells and W. Kitching | 1123 |
| Synthetical Applications of Activated Metal Catalysts. XIX. A Comparison of the Efficiencies of Catalysts derived from the Metals of Group VIII and from Copper in the Formation of Biaryls from Pyridine and Quinoline. By G. D. F. Jackson, W. H. F. Sasse, and C. P. Whittle | 1126 |
| The Solvent Properties of Trifluoroiodomethane. By G. B. Deacon and B. O. West | 1132 |
| Some Studies in Inorganic Complexes. XVI. Thallium(III) Complexes of 2-Aminomethylpyridine and 6-Methyl-2-aminomethylpyridine; Tris-(2,2'-bipyridyl)aluminium(III) Perchlorate. By G. J. Sutton | 1134 |
| Reactions of 2-Methyl-6-aminomethylpyridine and 2-Thioamidopyridine with Group 2B Cations. By G. J. Sutton | 1137 |
| The Decay of Irradiation Defects in Dyed Polymethyl Methacrylate. By I. D. Campbell and F. D. Looney | 1141 |
| Index to Volume 16 | 1145 |

617

